



QUALITY PRODUCTS RECOMMENDED BY SPECTRA PAINTERS



Premium Exterior Paint & Stain



Emerald® Exterior Acrylic Latex Paint Canada

- Exclusive cross-linking 100% acrylic technology for exceptional durability and hide
- Extreme resistance to blistering, peeling, chalking, fading and dirt pickup
- Self-priming with a smooth, uniform appearance and provides a mildew-resistant coating
- Available in Flat, Satin, Gloss



Duration Exterior Latex Canada

- Excellent durability and hide.
- Formulated with PermaLast Technology
- Excellent protection from cracking, peeling and blistering.
- Flash rust resistance minimizes nail head rusting
- Self-priming
- Low temperature application down to 35° F.
- Available in Flat, Satin, Gloss



SuperPaint Exterior Acrylic Latex - Canada

- Formulated with Advanced Resin Technology for outstanding adhesion, hide and color retention.
- Outstanding coverage and durability.
- Resists frost, peeling, blistering, fading and cracking.
- Contains VinylSafe Technology
- Available in Flat, Satin, Low Lustre, Gloss, High Gloss



Resilience® Exterior Acrylic Latex - Canada

- Formulated with exclusive MoistureGuard Technology for revolutionary moisture resistance
- A mildew resistant coating.
- Outstanding hide, coverage, durability and dirt resistance.
- Contains VinylSafe Technology
- Available in Flat, Satin, Gloss



A-100® Exterior Acrylic Latex Canada

- 100% acrylic formula for good quality and value.
- Proven performer with good hide, adhesion and color retention
- Efficient coverage and great for routine color changes
- Low temperature application down to 35° F
- Available in Flat, Satin, Low Sheen, Gloss



LOXON® Concrete & Masonry Primer/Sealer

- Seals and adheres to concrete, brick, stucco and plaster
- Conditions porous masonry surfaces
- Use on above-grade masonry surfaces for a long-lasting finish
- Apply to masonry and concrete surfaces that are at least 7 days old
- Prevents harm to subsequent coatings by alkali in the substrate



LOXON® Self-Cleaning Acrylic Coating

- Provides a highly durable and weather-resistant finish.
- Highly alkali and efflorescence resistant
- Apply directly to fresh concrete (at least 7 days old)
- Mildew-resistant formula contains agents that inhibit the growth of mold and mildew



Loxon XP Masonry Coating

- Excellent flexibility, durability and fade resistance
- Exceptional resistance to wind-driven rain
- Protects against cracking and weathering
- Can be applied to fresh concrete and masonry less than 28 days old. No primer needed
- Low temperature application down to 35° F



SuperDeck® Deck Care System

- The SuperDeck® Deck Care System features premium products perfect for every stage of the job.
- From surface prep to cleaner, the SuperDeck finishing system ensures long-lasting performance, easy clean up and a beautiful finish.



SuperDeck® Deck Wash

- Removes stains caused by dirt, mildew or algae
- Cleans and renews weathered, uncoated pressure-treated and composite decking



SuperDeck® Stain & Sealer Remover

- Removes weathered latex stains, oil-based stains, toners, and clear finishes
- Removes some solid color stains
- Provides a more uniform final finish coat
- Must be followed with an application of Revive.



SuperDeck® Revive® Deck and Siding Brightener

- Use on new or uncoated cedar, redwood or pressure-treated lumber and surfaces treated with Stain and Sealer Remover
- Removes stains from dirt, mildew, algae, weathered wood, tannin extracts, nail bleed and mill glaze

Specialty Floor Coatings




Porch & Floor Enamel

- Ideal for both interior and exterior high-traffic surfaces
- Great for porches, patios, basement stairs and floors, and more
- Great washability
- Compliant with the low-slip rating required by the Americans with Disabilities Act
- Stands up to even the toughest household chemicals
- Available in Satin



ArmorSeal 8100 Epoxy Floor Coatings

- Breathable, Water based
- Polyamine Epoxy
- 5+ Hour Potlife
- Less than 50 g/L VOC Level
- Apply Direct To Concrete/Damp Concrete
- Gloss or Satin Finish



ARMORSEAL® 1000 HS Epoxy

- Chemical-resistant
- Impact-resistant
- Abrasion-resistant
- Outstanding application properties
- Low VOC



ARMORSEAL® REXTHANE™ Urethane Floor Coating

- Chemical-resistant
- Impact-resistant
- Abrasion-resistant
- Resists yellowing
- Fast hardness development
- Low VOC



Commercial, Healthcare & Hospitality, Industrial Coatings



Pro Industrial™ Multi-Surface Acrylic

- Self-priming directly to multiple surfaces
- Excellent one-coat hide and stain blocking
- Excellent adhesion to slick and glossy surfaces
- Good exterior color and gloss retention
- Dries fast with dry fall properties
- Optimized for spray application
- Available in Eg-Shel, Semi-Gloss,



Pro Industrial™ Pre-catalyzed Water Based Epoxy

- Enhanced performance, single-component convenience
- Resistant to most commercial cleaners
- Excellent stain blocking properties
- Flows and levels to a smooth finish
- Effortless application by brush, roll or spray
- Available in Eg-Shel, Semi-Gloss



Pro Industrial DTM Acrylic Coating

- Excellent corrosion and flash rust resistance
- Excellent weathering properties
- Excellent moisture resistance
- Meets the most stringent VOC regulations
- Available in Eg-Shel, Semi-Gloss, Gloss



Sher-Cryl HPA High Performance Acrylic

- Ambient cured, one component acrylic coating with superior exterior performance properties.
- Provides performance comparable to high performance solvent based coatings



Pro Industrial Water Based Alkyd Urethane

- Excellent wash-ability
- Excellent flow & leveling
- Excellent touch up
- Easy application & cleanup
- Resistant to yellowing
- Available in Low Sheen, Semi-Gloss, Gloss



Industrial Enamel HS

- High solids, low VOC, alkyd, gloss topcoat
- Easy to apply by brush, roll or spray
- High gloss/dirt resistant
- Abrasion resistant
- Resists yellowing
- Suitable for use in USDA inspected facilities
- Exterior/interior applications



Pro Industrial Urethane Alkyd Enamel

- Fortified with urethane resin for durability and flexibility
- Good exterior color and gloss retention|High solids, high build for increased productivity
- Flows and levels to a smooth finish



Pro Industrial Waterborne Acrylic Dryfall

- Ideal for exposed ceilings and overhead surfaces
- Overspray dryfalls to dust for quick and easy cleanup
- High hide for a uniform appearance
- Provides flash rust resistance
- May be applied to a wide variety of substrates
- Available in Flat, Eg-Shel and Semi-Gloss



Pro Industrial™ Pro-Cryl® Universal Acrylic Primer

- Single-component, rust-inhibitive primer for steel, aluminum, and galvanized
- Alternative to conventional solvent-based primers
- Accepts all topcoats
- Low temperature application
- Acceptable for use in USDA-inspected facilities



Pro Industrial™ Acrylic Coating

- Exceptional stain resistance.
- Exceptional exterior color and gloss retention.
- Flows and levels to a smooth finish.
- Meets the most stringent VOC regulations.
- Available in Eg-Shel, Semi-Gloss, Gloss



ProMar® 200 HP Zero VOC Interior Acrylic

- High-performance durability.
- Excellent hide.
- Zero VOCs. Available in Eg-Shel finish.
- Easy application.
- Complies with LEED® v4 Emissions Testings.
- UL/GREENGUARD® Gold Certified for low chemical emissions during application



Solo™ 100% Acrylic Interior/Exterior Latex

- Delivers good hide, block resistance and durability
- Excellent adhesion on new and previously painted surfaces
- Self-priming for properly prepared interior and exterior surfaces
- Available in Flat, Satin, Eg-Shel, Semi-Gloss, Gloss